

COOLANT

Royal Super Full Synthetic Engine Oil: Made from 100% Virgin Oil It provides a coating to prevent metal-on-metal contact between the surfaces of moving parts. The protective layer formed by lubrication helps safeguard component surfaces against rust.

1L, 2L, 3L, 4L, 5L, 6L / 20L, 25L



60L, 208L, 1000L / 25,000L



Description

Royal Super Ultra Tech Radiator Coolant is a premium quality, Virgin ethylene glycol-based anti-coolant. Concentrate high quality coolant for year-round use. Ready-mixed high performance coolant designed to prevent winter freezing and summer overheating with very good protection against corrosion. It will give excellent corrosion protection to all metals used in the construction of gasoline and diesel engines especially the principle metals iron, copper and aluminum. Recommended for all types of passenger cars, heavy-duty diesel, gas engines and stationary engine applications regardless of fuel type being used.

Features

- ✓ Offers effective protection against cavitation erosion and is compatible with rubber and sealing materials.
- ✓ Prevents freeze up in winter and boil-over in summer.
- ✓ All climate year-round performance.
- ✓ Protects metallic & non-metallic parts in the engine and the cooling circuit.

Performance Level



Specification

TESTS	METHOD	RESULTS
Grade	-	50-50
Density @20 °C,gm/CC	ASTM D 4052	1.089
Color	ASTM D 1500	Green
pH	ASTM D 1287	8
Boiling Point , °C	ASTM D 1120	>140
Flash Point °C	ASTM D 92	>110
Freezing Point °C	ASTM D 1177	-36

PACKAGE SIZE

1 L, 2 L, 3 L, 4 L, 5 L, 6 L - [CAN] 20 L, 25 L - [PAIL] 60 L, 200 L, 208 L - [DRUM] 1000 L, 25,000 L - [IBC]

Customize Packing